

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1. (Currently Amended) A liquid crystal device comprising:
 - a pair of substrates ~~which~~ holding a liquid crystal therebetween;
 - a light guide provided opposite to one of the substrates;
 - a flexible substrate connected to one of the substrates, the flexible substrate being bent around a light receiving surface of the light guide; and
 - a light emitting device mounted on the flexible substrate, ~~and the flexible substrate is bent to a light receiving surface of the light guide~~ the light emitting device including:
 - a light emitting surface adjacent the light receiving surface of the light guide; and
 - a mounting surface mounted to the flexible substrate;
 - wherein ~~the light emitting device is mounted directly to the light receiving surface of the light guide~~ the light emitting surface is adjacent the mounting surface.
2. (Cancelled)
3. (Previously Presented) The liquid crystal device according to Claim 1, wherein the flexible substrate has a terminal to be connected to one of the substrates, the light emitting device is provided on the same surface of the flexible substrate as the surface where the terminal is provided, and a wiring pattern is provided on the surface opposite to the surface where the light emitting device is provided, the wiring pattern

being connected to the terminal through a through hole.

4. (Previously Presented) The liquid crystal device according to Claim 1, wherein the flexible substrate has a terminal to be connected to one of the substrates, a wiring pattern is formed on the same surface as the surface on which the terminal is provided, and the light emitting device is provided on the same surface of the flexible substrate as the surface on which the wiring pattern is provided.

5. (Previously Presented) The liquid crystal device according to Claim 4, wherein the wiring pattern is provided on the flexible substrate so as to avoid the light emitting device.

6. (Cancelled)

7. (Cancelled)

8. (Previously Presented) The liquid crystal device according to Claim 1, wherein the flexible substrate is used for supplying a signal for driving the liquid crystal.

9. (Currently Amended) A liquid crystal device comprising:
a pair of substrates ~~which holding~~ a liquid crystal therebetween;
a light guide provided opposite to one of the substrates, the light guide
having a light receiving surface including a recessed portion formed therein;
a flexible substrate connected to one of the substrates; and
a light emitting device mounted on the flexible substrate and the flexible
substrate ~~is being bent along~~ around a light receiving surface of the light guide;
wherein a light emitting surface of the light emitting device includes a
projection portion ~~the light emitting device is mounted on the flexible substrate and the~~
projection portion of the light emitting surface is disposed in ~~mounted directly to the~~
recessed portion of the light receiving surface; and
~~positioning means are provided on the light emitting surface of between~~
~~the light emitting device and the light receiving surface of the light guide, for mounting~~
the light emitting device to the light receiving surface of the light guide.

10. (Cancelled)

11. (Previously Presented) The liquid crystal device according to Claim 10,
wherein the projecting portion comprises a cylindrical pin or a triangular prism
projection.

12. (Cancelled)

13. (Previously Presented) The liquid crystal device according to Claim 9,
wherein the flexible substrate has a terminal to be connected to one of the substrates,
the light emitting device is provided on the same surface of the flexible substrate as the

surface where the terminal is provided, and a wiring pattern is provided on the surface opposite to the surface where the light emitting device is provided, the wiring pattern being connected to the terminal through a through hole.

14. (Previously Presented) The liquid crystal device according to Claim 9, wherein the flexible substrate has a terminal to be connected to the substrate, a wiring pattern is formed on the same surface as the surface on which the terminal is provided, and the light emitting device is provided on the same surface of the flexible substrate as the surface on which the wiring pattern is provided.

15. (Previously Presented) The liquid crystal device according to Claim 14, wherein the wiring pattern is provided on the flexible substrate so as to avoid the light emitting device.

16. (Currently Amended) The liquid crystal device according to claim 9, wherein the light emitting surface is at on the side of the mounted surface of the light emitting device to the flexible substrate, and the light emitting surface is mounted to the light receiving surface of the light guide.

17. (Currently Amended) The liquid crystal device according to Claim 9, wherein the light guide is formed in a bent shape so that the light receiving surface thereof faces a direction opposite to the pair of substrates, and the light emitting surface of the light emitting device ~~is mounted to~~ faces the light receiving surface and the pair of substrates ~~facing the direction opposite to the pair of substrates.~~

18. (Previously Presented) The liquid crystal device according to Claim 9, wherein the flexible substrate supplies a signal for driving the liquid crystal.

19. (Previously Presented) An electronic device comprising:
a liquid crystal device; and
a control circuit for controlling an operation of the liquid crystal device;
wherein the liquid crystal device is a liquid crystal device in accordance with Claim 1, and the flexible substrate is connected to the control circuit so that the light emitting device is mounted to the light receiving surface of the light guide with the control circuit connected to the flexible substrate.

20. (Currently Amended) A liquid crystal device comprising:
a pair of substrates ~~which~~ holding a liquid crystal therebetween;
a light guide provided opposite to one of the substrates, the light guide having a light receiving surface including a recess formed therein;
a flexible substrate connected to one of the substrates; and
a light emitting device mounted on the flexible substrate, the flexible substrate being bent along around ~~[[a]]~~ the light receiving surface of the light guide;
wherein a projecting portion is formed on a light emitting surface of the light emitting device extending to one of a light emitting device side of the flexible substrate and a light receiving surface side of the light guide; and
~~—— a recessed portion provided on the other one of the light emitting device side of the flexible substrate and the light receiving surface of the light guide side being~~ and is engageable with the projecting recessed portion;
~~—— wherein the light emitting device is mounted directly to the light receiving surface of the light guide.~~

21. (New) A liquid crystal device comprising:
a pair of substrates holding a liquid crystal therebetween;
a light guide provided opposite to one of the substrates;
a flexible substrate connected to one of the substrates; and
a light emitting device mounted on the flexible substrate, the flexible substrate being bent around a light receiving surface of the light guide;
wherein the light guide is formed in a bent shape so that the light receiving surface thereof faces a direction opposite to the pair of substrates, and the light emitting surface of the light emitting device faces the light receiving surface and the pair of substrates.